

CABINET HARDWARE Listings

Applicable to the *Architectural Woodwork Standards*



1. HINGES

Grade 1 (is requirement for use in schools and hospitals)

ATC Hardware Systems - 3264
E.B. Bradley - EBB-1-26D-03, EBB-2-26D-03
Grass - 961 (NP)*, Atlas 9600 (NP, BK, BR)*
Hafele - AXIMAT 300 (344.06), 5K Advantage (354.65)
Hardware Resources - HR0076
Hettich - SELEKTA TOP 4000-180°, 4000-270° (NP)* **
Pride Industrial, LLC - H760 (DCP), H764 (DCP)
RPC - B-851, 374, 375, 376, 376SS, & 2107-180° (DCP, PC)*
Salice - CM Series
Siquar USA - H0074-UC2-BNS-32mm
Terry Hinge - H03-99, H08-99, & H08-9XG60 (3 knuckle, non-mortise) (DCP, PC)*
US Futaba - 25270-2 (PC)*

* Approved Finish: DCP = Dull Chrome Plated, NP = Nickle Plated, BK = Black, PC = Powder Coated, BR = Brass.

** Only approved with adjustment tabs in place.

Grade 2

120° - 125° Opening, Concealed (European Style)

ATC Hardware Systems - Innova AC556 Clip-on
Blum - Clip 125, Inserta 125, Clip Top 120..
Grass - 3803, 4803, 1006, 383 Snap-on.....
Hafele - 329.03
Hardware Resources - 500.OU84.05 Clip
Hettich - 125 Euromat, 125 Intermat
Ruca - C729 Clip
Salice - 200/120, Repido 120
Ultra Cabinet Hardware - H11212 (SC)

165° - 170° Opening, Concealed (European Style)

ATC Hardware Systems - Innova AC558 Clip-on
Blum - Clip 170, Inserta 170, Clip Top 170..
Grass - 3903, 4903, 1203, 393 Snap-on.....
Hafele - 329.07
Hardware Resources - 500.0M73.05
Hettich - 170 Euromat, 170 Intermat
Salice - 200/165, Repido 165

180° - 270° Opening, Semi-Concealed (European Style)

Salice - P Series

NOTE: [Click here for general information and disclaimer](#)



2. PULLS

Hinged Door and Drawer

EPCO - BP010-SS, BP096-SS, BP128-SS, BP192-SS, BP256-SS, BP416-SS, BP480-SS,
BP544-SS, BP640-SS, BP768-SS (all Bar Pulls 2" to 33")

Hafele - 116.39.455, 116.39.259

Hardware Resources - S271 (Wire), Key West (Bar)

RPC - P-604, P-605

Terry Hinge - KP3-41830, 41835, 41840, 41896

Sliding Door

EPCO - WP-34, 35, 36...

K-V - 801, 806, 813

Sliding Glass Door

EPCO - GP-17, 18, 19, 20...

3. CATCHES

Elbow

EPCO - 1018B, 1018N...

Terry Hinge - M03-00038 & M03-99389

Magnetic {indicates pull in lbs}

EPCO - 591^{6.5}, 592^{13}..

Terry Hinge - M03-03943^{8}, 4^{8} & 5^{25}, M03-03950^{?}..

Touch Latch - Magnetic {indicates pull in lbs}

Terry Hinge - BOA-V6929^{5}, BO1-V6931-Double^{3}..

4. LOCKS

Hinged Door

National Lock - C8102, 3, 6, 8, 9, C8173, 74, 75, C8183

Olympus - 100, 500, 700SC, 721

Drawer

CompX National - C9000 Series, (SC Advantage)

National Lock - C8102, 3, 6, 8, 9, C8178 & 79, C8188

Olympus - 200, 600, 721, 800SC

Sliding Door

EPCO - G-05C

National Lock - C8140, C8142, C8143

Sliding Glass Door

EPCO - G-03C, 04C, 06C

K-V - 963

National Lock - C8140

(continued. . . .)

NOTE: [Click here for general information and disclaimer](#)



5. DRAWER SLIDES, The Institute requires a minimum weight capacity of 50 lbs @ Pencil drawers; 75 lbs @ General purpose drawers; 100 lbs @ File drawers; and 150 lbs @ Lateral file drawers wider than 24".

A. BALL BEARING CONSTRUCTION (Con = Concealed, DO = Detent Out, OT = Over Travel)

3/4 Extension, rated 75 lbs at 22" in length

Accuride - 2132, 2132 (DO)
ATC Hardware - BD4300
Fulterer - FR5005
Hardware Resources - 5000 Series
Hettich - 3432
K-V - 8300, 8350

Full Extension, rated 50 lbs at 22" in length

Accuride - 2632 (65 lbs)

Full Extension, rated 75 lbs at 22" in length

Accuride - 3834 (90 lbs, OT)
ATC Hardware - FX3055
Fulterer - FR5036
K-V - MuV (undermount)
Pride Industrial, LLC - PI3600

Full Extension, rated 100 lbs at 22" in length

Accuride - 3017, 3132(EC or SC), 3732, 3832(SC or DO), 7432, 7434
ATC Hardware - FX3855, FX4755-2G, BFC4022-2G, FX4655
EB Bradley Co. - Bee Slide 4500 Series
Fulterer - FR5000, FR5000.ECD, FR5043
Hardware Resources - Precision 2000-301, 301FU, 303FU
Hettich - 5632
Highline Hardware - G-2629A, G-2629E(Soft Close)
K-V - 8400, 8405, 8409, 8414, 8417, 8419, 8450(Soft Close), PBB-100
Louis & Co. - WM1000
Pride Industrial, LLC - PI4600, PI4800
US Futaba - DS4632, DS4634 (1" OT), GS4070sc, NJ31732 (1-1/2" OT), Repon NJ 12000 (soft close)
Woodworkers Hdwr & Supply - BB3200 (OT)

Full Extension, rated 125 lbs at 22" in length

ATC Hardware - FC4022-2G
Hettich - 4932 (1.5"OT) / (130 lbs)

Full Extension, rated 150 lbs at 22" in length

Accuride - 4034 (OT), 9301 (w/ under mount use)
Fulterer - FR5755 (1"OT)
Hettich - 555 (1"OT)
Pride Industrial, LLC - PI5000

Full Extension, rated 175 lbs at 22" in length

Accuride - 3640 (w/1" OT, 180lb), 3641 (w/1" OT, interlock, 180lb), 3642 (w/ 1" OT, interlock, companion slide)
Accuride -
Fulterer - FR5755

(continued. . . .)

NOTE: [Click here for general information and disclaimer](#)



5. DRAWER SLIDES - (continued)

A. BALL BEARING CONSTRUCTION - (continued)

Full Extension, rated 175 lbs at 22" in length - (continued)

K-V - 8500, 8505 (w/1-1/2" OT)
US Futaba - DS3513 (progressive Extension)
Woodworkers Hdwe & Supply - BB4200 (OT)

Full Extension, rated 200 lbs at 22" in length

Hettich - 4620 (1.5"OT)
Fulterer - FR5210
Pride - 5890

Full Extension, rated 225 lbs at 22" in length

Fulterer - FR5302

Full Extension, rated 400 lbs at 22" in length

Accuride - 9031

B. ROLLER BEARING CONSTRUCTION (con = concealed)

3/4 Extension, rated 75 lbs at 22" in length

Blum, Inc. - 230M, 230E, 262 Solo, 552 Tandem (con)
Fulterer - 1921
Salice America - 208 ADAR
Woodworkers Hdwe & Supply - BS70

3/4 Extension, rated 100 lbs at 22" in length

Fulterer - FR2021
Grass - 6610, 6650 (120lb rated)
Hafele - 423.37
Hardware Resources - 1400

Full Extension, rated 75 lbs at 22" in length

Blum, Inc. - 562 Tandem (con), 430E
Pride Industrial, LLC - PI8000 (con, soft close)
Salice America - 775 ADAR

Full Extension, rated 100 lbs at 22" in length

Blum, Inc. - 566 Tandem (con) & 568 Tandem Plus (con)
Grass - 3215

Full Extension, rated 125 lbs at 22" in length

Fulterer - FR6500

Full Extension, rated 150 lbs at 22" in length

No Current Listings

(continued. . . .)

NOTE: [Click here for general information and disclaimer](#)



5. DRAWER SLIDES - (continued)

C. DRAWER & SLIDE SYSTEMS

3/4 Extension, rated 75 lbs at 22in length

Hardware Resources - 85000

3/4 Extension, rated 100 lbs at 22" in length

Blum, Inc. - 320 Metabox

Grass - 6036 Zargen

3/4 Extension, rated 100 lbs at 22" in length

Mepla/ Alfit - Integra AL9103

US Futaba - AS4021/550 Harn Impaz

Full Extension, rated 75 lbs at 22" in length

Blum, Inc. - 330 Metabox

Hardware Resources - USE 21 (undermount, with integrated soft close)

Full Extension, rated 100 lbs at 22" in length

Grass - 6036 w/ 6200

6. SPECIALTY SLIDES

TV Slide, minimum 150 lb load rating at 18" in length unless otherwise noted

Accuride - CB3620-258TV (225 lb., 14" ext.), CB9320-258TV

Fulterer - FR825 (175lb., 14-1/2" ext.)

Hettich - 1-022-508 (198 lb., 11-1/2" ext.)

Keyboard Slide, variable height, minimum 75 lb load rating at 18" in length unless otherwise noted

Accuride - 2109 (75 lb., detent in, detent out)

Fulterer - FR5060 & 5066

K-V - 8150 (3/4 extension, 75 lb.)

Keyboard Tray System, minimum 75 lb load rating at 18" in length unless otherwise noted

Accuride - 300 Tray (Full Extension, accessory tray, tilt plate)

K-V - Keynetics (Adjustable Keyboard / Tray System)

Pencil Drawer Slide, variable height, minimum 75 lb load rating at 18" in length

Accuride - 2109 (75 lb., detent in, detent out)

Fulterer - FR5162

K-V - 8250 (3/4 extension, 75 lb. @ 22")

7. FILE FOLLOWERS

Card Size (5" x 3")

K-V - 475

Letter Size (11" x 8-1/2")

K-V - 475, 476

(continued. . . .)

[NOTE: Click here for general information and disclaimer](#)



8. SHELF & COUNTER BRACKET (Adjustable for wall plumb)

K-V - 255 (steel or aluminum standard)

K-V - 256, 239 (clip)

Precision Works Products, Inc.

9. CABINET SHELF SUPPORTS (Adjustable, Pin Type)

Hafele - 282.04.702

Hardware Resources - 1306, 1545, 1707

Hettich - 1005-819, 1005-767 (seismic)

K-V - 345, 346

10. WALL SHELF STANDARD & BRACKETS (Adjustable Height)

K-V - 80, 82, 85, 87 (standards)

K-V - 180, 182, 185, 187 (brackets)

11. MIRRORS & ATTACHMENT CLIPS

May be used at # 501, 511, 512, 530-34, 724, 725 Design Series Cabinets 1/4" float w/ polished edges, unless framed

K-V - 5198 (clips)

12. HANGER RODS & FLANGES

May be used at # 640 Design Series Cabinets

EPCO - 870, 890, 895 (rod)

EPCO - 860, 850, 851, 861 (flange)

Hardware Resources - 111696CH (rod)

Hardware Resources - M-Series (flange)

K-V - 660, 770 (rod)

K-V - 734, 735, 757, 764, 766 (flange)

13. GARMENT HANGERS & HOOKS

Single Arm Side Mount

K-V - 3-5"

Extension Type

K-V - 723

Garment Hooks

EPCO - CH101, CH105, CH201, CH202, CH301

14. SLIDING HANGERS

May be used at # 179 & 425 Design Series Cabinets

Cup Rack

K-V - 791

Towel Rack

K-V - 798

(continued. . . .)

NOTE: [Click here for general information and disclaimer](#)



15. BASE ADJUSTERS

Blum - 697200.7700

16. SLIDING DOOR TRACK

Overhead Type

Hettich - 6005

K-V - 858

1/4" doors, non-glass

EPCO - 1, 3, 8

K-V - 2412, 2416

1/2" doors, non-glass

EPCO - 10A, 13

3/4" doors, non-glass

EPCO - 5, 2A, 11A

Glass Doors

EPCO - 14A, 15A

K-V - 1092, P992 (ball bearing)

17. GLASS RETAINERS (Weight rating is per caster in hard rubber, options available include: rigid, swivel, hard or soft rubber, with or without brake)

May be used at # 651, 700, 702-4, 707, 710, 712, 714-16, 720-22, 724-26, 729-32, 734-39, 742-44, 746, 747, 750-55

Design Series Cabinets

Wood - Custom Design

18. CASTERS (Weight rating is per caster in hard rubber, options available include: rigid, swivel, hard or soft rubber, with or without brake)

May be used at # 651, 700, 702-4, 707, 710, 712, 714-16, 720-22, 724-26, 729-32, 734-39, 742-44, 746, 747, 750-55

Design Series Cabinets

No Current Listings

19. POCKET DOOR HARDWARE (Maximum door width 24", Maximum door height and weight as specified by manufacturer.)

Accuride - 123/1234 (42" maximum height, 30 lbs. maximum weight)

Accuride - 1332/1432 w/ cable (78" maximum height, 75 lbs. maximum weight)

Accuride - 1145 "Easy Down" Horizontal (30 lbs maximum door weight)

Accuride - ProPocket Full (3/4" overlay Flipper Door Slide)

ATC Hardware - PD8722 (25 lbs maximum door weight)

Hafele - XI408.24 (60" maximum height, 35 lbs. maximum weight)

Hafele - Hawa 407.70, 71, 72, 73 (110" maximum height, 88 lbs. maximum weight)

Hettich - DSB (40-1/4" maximum height, 30 lbs. maximum weight)

K-V - 8080PEZ (42" maximum height, 30 lbs. maximum weight)

(continued. . . .)

[NOTE: Click here for general information and disclaimer](#)

(Cabinet Hardware Listings Continued)



20.INSTALLATION SCREWS

Quick Screws - 8215, 8216, 8217, 11981, 11982, 2052, 11976

NOTE: [Click here for general information and disclaimer](#)

AWS Cabinet Design Series

Specialty Hardware



The following listings are provided as a guide for the convenience of our Design Series users and has not necessarily been verified as to conformance to ANSI /BHMA Grade 2 requirements.

(Heading references are to previous pages herein)

179 & 425 Design Series Cabinets

SLIDING HANGERS - See Heading #14

187 Design Series Cabinets

SHELF

Washington Products Inc., 1147 Oberlin Ave., S.W., Massillon, Ohio 44648 (213-837-5101), Product # M-15

196 & 197 Design Series Cabinets

LAZY SUSAN SHELVES

196 = Full round

197 = 3/4 circle, kidney shaped

198 & 199 Design Series Cabinets

CERAMICS TRAY

Custom fabrication: tray made from 1" x 1" steel angle with 3/4" diamond expanded metal bottom, 3/4" x 3/4" angle steel tray guides mounted above and below on each side. All metal to be fabricated with no sharp edges or points and powder coat finished after assembly.

198, 199, 459 Design Series Cabinets

PAN, BOTTOM

Custom sheet metal, 22 ga., 2" sides on three sides with 1/4 round front edge.

501, 511, 512, 530-34, 724, 725 Design Series Cabinets

PIN TRAY

Outwater Plastics Industries, Inc. 4720 West Van Buren, Phoenix, AZ 85043, Part #R11-87 MIRRORS & ATTACHMENT CLIPS
See Heading #11

533, 534 Design Series Cabinets

PAPER CUTTER - (24")

Pacific Cutter Co., 3690 Santa Fe Ave., Los Angeles, CA 90058

640 Design Series Cabinets

HANGER RODS & FLANGES - See Heading #12

651, 700, 702-4, 707, 710, 712, 714-16, 720-22, 724-26, 729-32, 734-39, 742-44, 746, 747, 750-55 Design Series Cabinets

CASTERS - See Heading #18

742 Design Series Cabinets

LABORATORY FITTINGS

T & S Brass & Bronze Works, Westbury, Long Island, New York, Products: Hemispherical Chemical Lead Sink is a #BL- 7010-4, Rack is comprised of two each #BL-9005-1 Flush plate with crowned top, two each #BL-9000-1 tapered uprights, two each #BL-9000-10 Clamps, and one each #BL-9000-5 Cross Bar.

SHELF BRACKET, FOLDING

Stanley # V772

SINK

12" X 12" X 7-1/2" inside dimension, 18-8 Stainless Steel sink with center punched drain.

NOTE: [Click here for general information and disclaimer](#)